



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462016

☎ {0755} 2464428, 2466191 Fax : {0755} 2463742 e-mail: it.mppcb@rediffmail.com

6. Personal protection equipments should be provided and the labourers should be given primary training.
7. The project proponent shall install separate electric metering arrangement for running of pollution control devices.
8. Project proponent shall treat municipal solid waste on regular basis. If waste is lying on the existing site location, same shall be clear as per the plant layout and levelling the ground.
9. Ambient air quality at the boundary of the project site shall conform to the norms prescribed in MoEF gazette notification no GSR/826(E), dated: 16/11/09. Some of the parameters are as follows :
 - a. Particulate Matter (less than 10 micron) - 100 microgram/cubic meter
(PM₁₀ mg/m³ 24 hrs. basis)
 - b. Particulate Matter (less than 2.5 micron) - 60 -"
(PM₂₅ mg/m³ 24 hrs. basis)
 - c. Sulphur Dioxide [SO₂] (24 hrs. Basis) - 80 -"
 - d. Nitrogen Oxides [NO_x] (24 hrs. Basis) - 80 -"
 - e. Carbon Monoxide [CO] (2 hrs. Basis) - 2000 -"
10. Project proponent shall also make provisions to comply with prescribed norms of air pollutants given in MSW Rules, 2000.
11. Project proponent shall adequate measures to control dust emission. The compost plant shall be provided with adequate dust control system such as cyclones, bag filters to control dust emission.
12. Project proponent shall make adequate arrangement to control noise pollution during construction phase.
13. Project proponent shall make suitable arrangement for handling and disposal of solid waste and as per MoEF guidelines.
14. Environmental Cell with technically qualified personnel shall be setup under the control of Senior Executive.
15. Project proponent shall provide fire protection system, communication system power distribution system roads, pavement, drains at site.
16. The project proponent shall install acoustic enclosure/canopy in D.G. Set to control the noise pollution. The ambient noise level shall not exceed the limit 75 dB [A] during the day time and 70 dB [A] during the night time.
17. Project proponent shall comply with all the relevant acts/rules, directions, guidelines, notifications issued by MoEF/CPCB/MPPCB from time to time as required and, if applicable



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462016

{0755} 2464428, 2466191 Fax : {0755} 2463742 e-mail: it.mppcb@rediffmail.com

18. Any expansion/change in collection, storage, segregation, transportation, processing and disposal of municipal solid waste can be taken up only with the prior permission of Board.
19. The project proponent authorities shall take effective steps for development of green belt 5 mt. belt around the site and both side of the approach road for general improvement of environmental conditions.
20. The Board may stipulate any further conditions, after reviewing the reports prepared by the project authorities, or after assessing the pollution caused after the implementation of the project.
21. The Board may revoke or suspend the permission to establish, if violation of any of the above conditions is noticed.
22. After notice and/or opportunity of hearing this consent or any of the above condition can be modified, amended, revoked or withdrawn as a whole or in part as and when deemed necessary.

The consent (for operation) as required under the Water (Prevention & Control of Pollution) Act, 1974 shall be granted to your industry after fulfillment of all the conditions mentioned above. For this purpose you shall have to make an application to this Board in the prescribed proforma at least two months before the expected date of commissioning of your industry. The applicant shall not without valid consent (for operation) of the Board bring in to use any out let for the discharge of effluent and gaseous emission.

(R. K. Shrivastava)
Superintending Engineer

Endt No. 4451 /TS/MPPCB/2011

Copy to:-

1. Regional Officer, M.P. Pollution Control Board, Indore.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. Cess Section, M.P. Pollution Control Board, Bhopal.
4. HSMD Section, M. P. Pollution Control Board, Bhopal
- ✓ 5. I.T. Section, M. P. Pollution Control Board, Bhopal

(R. K. Shrivastava)
Superintending Engineer

For & on behalf of
M.P. Pollution Control Board

(R. K. JAIN)
Member Secretary

Date: 20-5-11

(R. K. JAIN)
Member Secretary